

# Dot Matrix Materials - Benchtops

BradyID.com

## Permashield™ Labels

Clear polyester (B-966) overlamine extends 0.125" outside of label on each side.




Fig. D11

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horizontal Repeat C Inch (mm)	Vertical Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Pkg
D11	PSL-1-619-5	B-966	Polyester	White	1.000 (25.40)	0.500 (12.70)	1.400 (35.56)	1.000 (25.40)	9.250 (234.95)	6	5,000
D11	PSL-3-619-5	B-966	Polyester	White	2.000 (50.80)	1.000 (25.40)	2.400 (60.96)	1.500 (38.10)	8.050 (204.47)	3	5,000
D11	PSL-1-969-5	B-966	Metallized Polyester	Silver	1.000 (25.40)	0.500 (12.70)	1.400 (35.56)	1.000 (25.40)	9.250 (234.95)	6	5,000
D11	PSL-3-969-5	B-966	Metallized Polyester	Silver	2.000 (50.80)	1.000 (25.40)	2.400 (60.96)	1.500 (38.10)	8.050 (204.47)	3	5,000

## Tamper-Resistant Slits Labels




Fig. D9

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horizontal Repeat C Inch (mm)	Vertical Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Pkg
D9	DAT-90-619-10	B-619	Polyester	White	0.650 (16.51)	0.200 (5.08)	0.800 (20.32)	0.250 (6.35)	8.850 (224.80)	10	10,000

## Terminal Block Labels




Fig. D3




Fig. D12

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horizontal Repeat C Inch (mm)	Vertical Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Pkg
D3	BCDAT-7-609-2.5	B-609	Paper	White	6.000 (152.40)	3.937 (100.00)	4.000 (101.60)	-	7.000 (177.80)	1	2,500
D12	DAT-157-502-2	B-502	Vinyl Cloth	White	0.312 (7.92)	167 ft (50.8 m)	-	-	3.500 (88.90)	1	1 cont.
D12	DAT-158-502-2	B-502	Vinyl Cloth	White	0.375 (9.53)	167 ft (50.8 m)	-	-	3.500 (88.90)	1	1 cont.
D12	DAT-100-502-7	B-502	Vinyl Cloth	White	0.375 (9.53)	165 ft (50.30 m)	0.500 (12.70)	-	5.000 (127.00)	8	1 cont.

## Terminal Block Labels - Non-Adhesive Paper Strips




Fig. D16

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Web Width C Inch (mm)	Labels Per Row	Labels Per Pkg
D16	DAT-177-124-WT	B-124	Paper	White	7.900 (200.66)	0.475 (12.07)	8.875 (225.43)	1	150
D16	DAT-177-124-BL	B-124	Paper	Blue	7.900 (200.66)	0.475 (12.07)	8.875 (225.43)	1	150

Full Material Properties on page 237.

# Dot Matrix Materials - Benchtops

BradyID.com

## Wire & Cable Tags - Non Adhesive




Fig. D23




Fig. D26

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Vertical Repeat C Inch (mm)	Web Width D Inch (mm)	Holes Per Tag	Labels Per Row	Labels Per Pkg
D23	BT-109-WT-3060-1	B-109	Polyethylene	White	3.000 (76.20)	6.000 (152.40)	6.000 (152.40)	4.000 (101.60)	-	1	100
D23	BT-109-WT-3060-2	B-109	Polyethylene	White	3.000 (76.20)	6.000 (152.40)	6.000 (152.40)	4.000 (101.60)	-	2	100
D23	BT-109-WT-2037	B-109	Polyethylene	White	3.750 (95.25)	2.000 (50.80)	2.000 (50.80)	4.750 (120.65)	-	1	100
D23	BT-109-WT-2547	B-109	Polyethylene	White	4.750 (120.65)	2.500 (63.50)	2.500 (63.50)	5.750 (146.05)	-	1	100
D26	BT-508-WT-2050	B-508	Nomex	White	2.000 (50.80)	0.500 (12.70)	0.500 (12.70)	3.000 (76.2)	4	1	2,500
D26	BT-508-WT-2075	B-508	Nomex	White	2.000 (50.80)	0.750 (19.05)	0.750 (19.05)	3.000 (76.2)	6	1	2,500
D26	BT-508-YL-2050	B-508	Nomex	Yellow	2.000 (50.80)	0.500 (12.70)	0.500 (12.70)	3.000 (76.2)	4	1	2,500
D26	BT-508-YL-2075	B-508	Nomex	Yellow	2.000 (50.80)	0.750 (19.05)	0.750 (19.05)	3.000 (76.2)	6	1	2,500

## BRADYWRAP™ Wire & Cable Tape - Continuous Strip / Cut-To-Length




Fig. D20

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Web Width C Inch (mm)	Labels Per Row	Labels Per Pkg	Max. Characters Across 5 CPI	10 CPI	17.1 CPI
D20	RCM-637-1.0-WT	B-637	Tedlar	White	1.000 (25.40)	100 ft (30.48 m)	3.600 (91.44)	1	1 cont.	4	9	15
D20	RCM-637-1.5-WT	B-637	Tedlar	White	1.500 (38.10)	100 ft (30.48 m)	3.600 (91.44)	1	1 cont.	7	14	23
D20	RCM-330-2.0-WT	B-330	Polyolefin	White	2.000 (50.80)	100 ft (30.48 m)	3.600 (91.44)	1	1 cont.	9	19	32
D20	RCM-637-2.0-WT	B-637	Tedlar	White	2.000 (50.80)	100 ft (30.48 m)	3.600 (91.44)	1	1 cont.	9	19	32
D20	RCM-637-1.0-YL	B-637	Tedlar	Yellow	1.000 (25.40)	100 ft (30.48 m)	3.600 (91.44)	1	1 cont.	4	9	15
D20	RCM-637-1.5-YL	B-637	Tedlar	Yellow	1.500 (38.10)	100 ft (30.48 m)	3.600 (91.44)	1	1 cont.	7	14	23
D20	RCM-637-2.0-YL	B-637	Tedlar	Yellow	2.000 (50.80)	100 ft (30.48 m)	3.600 (91.44)	1	1 cont.	9	19	32

## Self-Laminating Wire & Cable Markers




Fig. D17

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-Area C Inch (mm)	Horizontal Repeat C Inch (mm)	Vertical Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Pkg
D17	DAT-71-642-10	B-642	Polyvinylfluoride	White	0.500 (12.7)	0.750 (19.05)	0.375 (9.53)	0.600 (15.24)	1.000 (25.40)	8.100 (205.74)	12	10,000
D17	* DAT-55-642-10	B-642	Polyvinylfluoride	White	0.500 (12.7)	0.750 (19.05)	0.375 (9.53)	0.600 (15.24)	1.000 (25.40)	9.300 (236.22)	14	10,000
D17	DAT-52-642-10	B-642	Polyvinylfluoride	White	0.800 (20.32)	1.437 (36.50)	0.500 (12.70)	0.900 (22.86)	1.500 (38.10)	6.300 (160.02)	6	10,000
D17	* DAT-41-292-1	B-292	Vinyl	White	1.000 (25.40)	5.937 (150.80)	1.500 (38.10)	1.100 (27.94)	6.000 (152.40)	9.500 (241.30)	8	1,000
D17	* DAT-41-292-2.5	B-292	Vinyl	White	1.000 (25.40)	5.937 (150.80)	1.500 (38.10)	1.100 (27.94)	6.000 (152.40)	9.500 (241.30)	8	2,500
D17	* DAT-42-292-1	B-292	Vinyl	White	1.000 (25.40)	7.437 (188.90)	1.500 (38.10)	1.100 (27.94)	7.500 (190.50)	9.500 (241.30)	8	1,000
D17	* DAT-42-292-2.5	B-292	Vinyl	White	1.000 (25.40)	7.437 (188.90)	1.500 (38.10)	1.100 (27.94)	7.500 (190.50)	9.500 (241.30)	8	2,500
D17	DAT-69-292-GY	B-292	Vinyl	Gray	1.000 (25.4)	5.937 (150.80)	1.500 (38.10)	1.100 (27.94)	6.000 (152.40)	8.400 (213.36)	7	2,500
D17	DAT-75-292-BL	B-292	Vinyl	Blue	2.000 (50.80)	5.937 (150.80)	1.500 (38.10)	2.100 (53.34)	6.000 (152.40)	7.000 (177.80)	3	2,500
D17	DAT-75-292-RD	B-292	Vinyl	Red	2.000 (50.80)	5.937 (150.80)	1.500 (38.10)	2.100 (53.34)	6.000 (152.40)	7.000 (177.80)	3	2,500
D17	DAT-69-292-YL	B-292	Vinyl	Yellow	1.000 (25.4)	5.937 (150.80)	1.500 (38.10)	1.100 (27.94)	6.000 (152.40)	8.400 (213.36)	7	2,500
D17	DAT-159-292-YL	B-292	Vinyl	Yellow	2.000 (50.80)	8.437 (214.30)	1.500 (38.10)	2.100 (53.34)	8.500 (215.90)	7.200 (182.88)	3	2,500

\* Does not fit narrow carriage (80-column) printers.

Full Material Properties on page 237.

# Dot Matrix Materials - Benchtops

BradyID.com

## Self-Laminating Wire & Cable Markers - Butt-Cut




Fig. D18

Diagram	Part Number	B-#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-Area C Inch (mm)	Horizontal Repeat C Inch (mm)	Vertical Repeat D Inch (mm)	Web Width E Inch (mm)	Labels Per Row	Labels Per Pkg
D18	SLSH-0515	B-292	Vinyl	White	0.500 (12.70)	1.437 (36.50)	0.500 (12.70)	0.500 (12.70)	1.500 (38.10)	9.000 (228.60)	16	1,664
D18	SLSH-1015	B-292	Vinyl	White	1.000 (25.40)	1.437 (36.50)	0.500 (12.70)	1.000 (25.40)	1.500 (38.10)	9.000 (228.60)	8	832
D18	DAT-54-642-10	B-642	Polyvinyl-fluoride	White	1.000 (25.40)	1.437 (36.50)	0.500 (12.70)	1.000 (25.40)	1.500 (38.10)	9.000 (228.60)	8	10,000
D18	SLSH-10225	B-292	Vinyl	White	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.000 (25.40)	2.500 (63.50)	9.000 (228.60)	8	608
D18	DAT-39-292-YL	B-292	Vinyl	White	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.000 (25.40)	4.000 (101.60)	9.000 (228.60)	8	2,500
D18	SLSH-10375	B-292	Vinyl	White	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.000 (25.40)	4.000 (101.60)	9.000 (228.60)	8	408
D18	SLSH-2015	B-292	Vinyl	White	2.000 (50.80)	1.437 (36.50)	0.500 (12.70)	2.000 (50.80)	1.500 (38.10)	9.000 (228.60)	4	416
D18	SLSH-20225	B-292	Vinyl	White	2.000 (50.80)	2.250 (57.15)	0.750 (19.05)	2.000 (50.80)	2.500 (63.50)	9.000 (228.60)	4	304
D18	SLSH-20375	B-292	Vinyl	White	2.000 (50.80)	3.750 (95.25)	1.000 (25.40)	2.000 (50.80)	4.000 (101.60)	9.000 (228.60)	4	204
D18	DAT-85-292-YL	B-292	Vinyl	Yellow	1.000 (25.40)	0.750 (19.05)	0.375 (9.53)	1.000 (25.40)	1.000 (25.40)	9.000 (228.60)	8	2,500
D18	DAT-34-292-YL	B-292	Vinyl	Yellow	1.000 (25.40)	1.437 (36.50)	0.500 (12.70)	1.000 (25.40)	1.500 (38.10)	9.000 (228.60)	8	2,500
D18	DAT-37-292-YL	B-292	Vinyl	Yellow	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.000 (25.40)	2.500 (63.50)	9.000 (228.60)	8	2,500
D18	DAT-39-292-RD	B-292	Vinyl	Yellow	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.000 (25.40)	4.000 (101.60)	9.000 (228.60)	8	2,500
D18	DAT-38-292-YL	B-292	Vinyl	Yellow	2.000 (50.80)	2.250 (57.15)	0.750 (19.05)	2.000 (50.80)	2.500 (63.50)	9.000 (228.60)	4	2,500
D18	DAT-85-292-BL	B-292	Vinyl	Blue	1.000 (25.40)	0.750 (19.05)	0.375 (9.53)	1.000 (25.40)	1.000 (25.40)	9.000 (228.60)	8	2,500
D18	DAT-34-292-BL	B-292	Vinyl	Blue	1.000 (25.40)	1.437 (36.50)	0.500 (12.70)	1.000 (25.40)	1.500 (38.10)	9.000 (228.60)	8	2,500
D18	DAT-37-292-BL	B-292	Vinyl	Blue	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.000 (25.40)	2.500 (63.50)	9.000 (228.60)	8	2,500
D18	DAT-39-292-BL	B-292	Vinyl	Blue	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.000 (25.40)	4.000 (101.60)	9.000 (228.60)	8	2,500
D18	DAT-38-292-BL	B-292	Vinyl	Blue	2.000 (50.80)	2.250 (57.15)	0.750 (19.05)	2.000 (50.80)	2.500 (63.50)	9.000 (228.60)	4	2,500
D18	DAT-40-292-BL	B-292	Vinyl	Blue	2.000 (50.80)	3.750 (95.25)	1.000 (25.40)	2.000 (50.80)	4.000 (101.60)	9.000 (228.60)	4	2,500
D18	DAT-38-292-BR	B-292	Vinyl	Brown	2.000 (50.80)	2.250 (57.15)	0.750 (19.05)	2.000 (50.80)	2.500 (63.50)	9.000 (228.60)	4	2,500
D18	DAT-37-292-GY	B-292	Vinyl	Gray	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.000 (25.40)	2.500 (63.50)	9.000 (228.60)	8	2,500
D18	DAT-39-292-GR	B-292	Vinyl	Gray	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.000 (25.40)	4.000 (101.60)	9.000 (228.60)	8	2,500
D18	DAT-34-292-GR	B-292	Vinyl	Green	1.000 (25.40)	1.437 (36.50)	0.500 (12.70)	1.000 (25.40)	1.500 (38.10)	9.000 (228.60)	8	2,500
D18	DAT-37-292-GR	B-292	Vinyl	Green	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.000 (25.40)	2.500 (63.50)	9.000 (228.60)	8	2,500
D18	DAT-39-292-BR	B-292	Vinyl	Green	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.000 (25.40)	4.000 (101.60)	9.000 (228.60)	8	2,500
D18	DAT-40-292-GR	B-292	Vinyl	Green	2.000 (50.80)	3.750 (95.25)	1.000 (25.40)	2.000 (50.80)	4.000 (101.60)	9.000 (228.60)	4	2,500
D18	DAT-37-292-OR	B-292	Vinyl	Orange	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.000 (25.40)	2.500 (63.50)	9.000 (228.60)	8	2,500
D18	DAT-39-292-GY	B-292	Vinyl	Orange	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.000 (25.40)	4.000 (101.60)	9.000 (228.60)	8	2,500
D18	DAT-38-292-OR	B-292	Vinyl	Orange	2.000 (50.80)	2.250 (57.15)	0.750 (19.05)	2.000 (50.80)	2.500 (63.50)	9.000 (228.60)	4	2,500
D18	DAT-37-292-PL	B-292	Vinyl	Purple	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.000 (25.40)	2.500 (63.50)	9.000 (228.60)	8	2,500
D18	DAT-39-292-OR	B-292	Vinyl	Purple	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.000 (25.40)	4.000 (101.60)	9.000 (228.60)	8	2,500
D18	DAT-40-292-PL	B-292	Vinyl	Purple	2.000 (50.80)	3.750 (95.25)	1.000 (25.40)	2.000 (50.80)	4.000 (101.60)	9.000 (228.60)	4	2,500
D18	DAT-85-292-RD	B-292	Vinyl	Red	1.000 (25.40)	0.750 (19.05)	0.375 (9.53)	1.000 (25.40)	1.000 (25.40)	9.000 (228.60)	8	2,500
D18	DAT-37-292-RD	B-292	Vinyl	Red	1.000 (25.40)	2.250 (57.15)	0.750 (19.05)	1.000 (25.40)	2.500 (63.50)	9.000 (228.60)	8	2,500
D18	DAT-39-292-PL	B-292	Vinyl	Red	1.000 (25.40)	3.750 (95.25)	1.000 (25.40)	1.000 (25.40)	4.000 (101.60)	9.000 (228.60)	8	2,500
D18	DAT-40-292-RD	B-292	Vinyl	Red	2.000 (50.80)	3.750 (95.25)	1.000 (25.40)	2.000 (50.80)	4.000 (101.60)	9.000 (228.60)	4	2,500

Full Material Properties on page 237.

# Dot Matrix Materials - Benchtops

BradyID.com

## BRADYSLEEVE™ Non-Shrink Wire Markers





Diagram	Part Number	B-#	Material	Color	Approx. Wire Gauge	Range of Wire Dia.	Label Width A Inch (mm)	Label Height B Inch (mm)	Sleeves Per Row	Sleeves Per Pkg	Print Lines/Inch
D26	CPS-0.4-2508-WT	B-319	Polyolefin	White	16-22	0.030 (0.76) - 0.100 (2.54)	0.250 (6.35)	0.400 (10.16)	8	10,000	8
D26	CPS-0.9-2508-WT	B-319	Polyolefin	White	16-22	0.030 (0.76) - 0.100 (2.54)	0.250 (6.35)	0.900 (22.86)	4	5,000	8
D26	CPS-1.9-2508-WT	B-319	Polyolefin	White	16-22	0.030 (0.76) - 0.100 (2.54)	0.250 (6.35)	1.900 (48.26)	2	2,500	8
D26	CPS-0.4-3336-WT	B-319	Polyolefin	White	12-16	0.090 (2.28) - 0.150 (3.81)	0.333 (8.46)	0.400 (10.16)	8	10,000	6
D26	CPS-0.9-3336-WT	B-319	Polyolefin	White	12-16	0.090 (2.28) - 0.150 (3.81)	0.333 (8.46)	0.900 (22.86)	4	5,000	6
D26	CPS-1.9-3336-WT	B-319	Polyolefin	White	12-16	0.090 (2.28) - 0.150 (3.81)	0.333 (8.38)	1.900 (48.26)	2	2,500	6
D26	CPS-0.4-3758-WT	B-319	Polyolefin	White	10-12	0.125 (3.18) - 0.175 (4.45)	0.375 (9.53)	0.400 (10.16)	8	10,000	8
D26	CPS-0.9-3758-WT	B-319	Polyolefin	White	10-12	0.125 (3.18) - 0.175 (4.45)	0.375 (9.53)	0.900 (22.86)	4	5,000	8
D26	CPS-1.9-3758-WT	B-319	Polyolefin	White	10-12	0.125 (3.18) - 0.175 (4.45)	0.375 (9.53)	1.900 (48.26)	2	2,500	8
D26	CPS-0.4-5008-WT	B-319	Polyolefin	White	8-10	0.160 (4.06) - 0.250 (6.35)	0.500 (12.70)	0.400 (10.16)	8	10,000	6 or 8
D26	CPS-0.9-5008-WT	B-319	Polyolefin	White	8-10	0.160 (4.06) - 0.250 (6.35)	0.500 (12.70)	0.900 (22.86)	4	5,000	6 or 8
D26	CPS-1.9-5008-WT	B-319	Polyolefin	White	8-10	0.160 (4.06) - 0.250 (6.35)	0.500 (12.70)	1.900 (48.26)	2	2,500	6 or 8
<b>Small Quantity Packages</b>											
D26	SCPS-0.4-2508-WT	B-319	Polyolefin	White	16-22	0.030 (0.76) - 0.100 (2.54)	0.250 (6.35)	0.400 (10.16)	8	1,000	8
D26	SCPS-0.9-2508-WT	B-319	Polyolefin	White	16-22	0.030 (0.76) - 0.100 (2.54)	0.250 (6.35)	0.900 (22.86)	4	500	8
D26	SCPS-0.4-3336-WT	B-319	Polyolefin	White	12-16	0.090 (2.28) - 0.150 (3.81)	0.333 (8.46)	0.400 (10.16)	8	1,000	6
D26	SCPS-0.9-3336-WT	B-319	Polyolefin	White	12-16	0.090 (2.28) - 0.150 (3.81)	0.333 (8.46)	0.900 (22.86)	4	500	6
D26	SCPS-0.4-3758-WT	B-319	Polyolefin	White	10-12	0.125 (3.18) - 0.175 (4.45)	0.375 (9.53)	0.400 (10.16)	8	1,000	8
D26	SCPS-0.9-3758-WT	B-319	Polyolefin	White	10-12	0.125 (3.18) - 0.175 (4.45)	0.375 (9.53)	0.900 (22.86)	4	500	8
D26	SCPS-0.4-5008-WT	B-319	Polyolefin	White	8-10	0.160 (4.06) - 0.250 (6.35)	0.500 (12.70)	0.400 (10.16)	8	1,000	6 or 8
D26	SCPS-0.9-5008-WT	B-319	Polyolefin	White	8-10	0.160 (4.06) - 0.250 (6.35)	0.500 (12.70)	0.900 (22.86)	4	500	6 or 8



### PermaSleeve® Heat-Shrink Wire Markers

Brady's PermaSleeve® heat-shrink wire markers are compatible with dot matrix printers as well.

See page 182 for all PermaSleeve markers.



# Dot Matrix Materials - Benchtops

BradyID.com

## BRADYSLEEVE™ Heat-Shrink Wire Markers




Diagram	Part Number	B-#	Material	Color	Approx. Wire Gauge	Range of Wire Dia.	Label Width A Inch (mm)	Label Height B Inch (mm)	Sleeves Per Row	Sleeves Per Pkg	Print Lines/Inch
D26	HCPS-0.4-2508-WT	B-321	Polyolefin	White	16-22	0.035 (0.89) - 0.075 (1.90)	0.250 (6.35)	0.400 (10.16)	8	10,000	8
D26	HCPS-0.9-2508-WT	B-321	Polyolefin	White	16-22	0.035 (0.89) - 0.075 (1.90)	0.250 (6.35)	0.900 (22.86)	4	5,000	8
D26	HCPS-1.9-2508-WT	B-321	Polyolefin	White	16-22	0.035 (0.89) - 0.075 (1.90)	0.250 (6.35)	1.900 (48.26)	2	2,500	8
D26	HCPS-0.4-3336-WT	B-321	Polyolefin	White	12-16	0.075 (1.90) - 0.130 (3.30)	0.333 (8.46)	0.400 (10.16)	8	10,000	6
D26	HCPS-0.9-3336-WT	B-321	Polyolefin	White	12-16	0.075 (1.90) - 0.130 (3.30)	0.333 (8.46)	0.900 (22.86)	4	5,000	6
D26	HCPS-1.9-3336-WT	B-321	Polyolefin	White	12-16	0.075 (1.90) - 0.130 (3.30)	0.333 (8.38)	1.900 (48.26)	2	2,500	6
D26	HCPS-0.4-3758-WT	B-321	Polyolefin	White	10-12	0.130 (3.30) - 0.160 (4.06)	0.375 (9.53)	0.400 (10.16)	8	10,000	8
D26	HCPS-0.9-3758-WT	B-321	Polyolefin	White	10-12	0.130 (3.30) - 0.160 (4.06)	0.375 (9.53)	0.900 (22.86)	4	5,000	8
D26	HCPS-1.9-3758-WT	B-321	Polyolefin	White	10-12	0.130 (3.30) - 0.160 (4.06)	0.375 (9.53)	1.900 (48.26)	2	2,500	8
D26	HCPS-0.4-5008-WT	B-321	Polyolefin	White	8-10	0.160 (4.06) - 0.235 (5.97)	0.500 (12.70)	0.400 (10.16)	8	10,000	6 or 8
D26	HCPS-0.9-5008-WT	B-321	Polyolefin	White	8-10	0.160 (4.06) - 0.235 (5.97)	0.500 (12.70)	0.900 (22.86)	4	5,000	6 or 8
D26	HCPS-1.9-5008-WT	B-321	Polyolefin	White	8-10	0.160 (4.06) - 0.235 (5.97)	0.500 (12.70)	1.900 (48.26)	2	2,500	6 or 8
D26	HCPS-0.9-6258-WT	B-321	Polyolefin	White	6-8	0.235 (5.97) - 0.290 (7.36)	0.625 (15.87)	0.900 (22.86)	4	5,000	8
D26	HCPS-1.9-6258-WT	B-321	Polyolefin	White	6-8	0.235 (5.97) - 0.290 (7.36)	0.625 (15.87)	1.900 (48.26)	2	2,500	8
D26	HCPS-0.9-6676-WT	B-321	Polyolefin	White	4-6	0.290 (7.36) - 0.335 (8.51)	0.667 (16.94)	0.900 (22.86)	4	5,000	6
D26	HCPS-1.9-6676-WT	B-321	Polyolefin	White	4-6	0.290 (7.36) - 0.335 (8.51)	0.667 (16.94)	1.900 (48.26)	2	2,500	6
D26	HCPS-0.9-7508-WT	B-321	Polyolefin	White	2-4	0.335 (8.51) - 0.390 (9.91)	0.750 (19.05)	0.900 (22.86)	4	3,000	8
D26	HCPS-1.9-7508-WT	B-321	Polyolefin	White	2-4	0.335 (8.51) - 0.390 (9.91)	0.750 (19.05)	1.900 (48.26)	2	1,500	8
D26	HCPS-0.9-8336-WT	B-321	Polyolefin	White	1-2	0.390 (9.91) - 0.440 (11.17)	0.833 (21.15)	0.900 (22.86)	4	3,000	6
D26	HCPS-1.9-8336-WT	B-321	Polyolefin	White	1-2	0.390 (9.91) - 0.440 (11.17)	0.833 (21.15)	1.900 (48.26)	2	1,500	6
D26	HCPS-0.9-1008-WT	B-321	Polyolefin	White	00-1	0.375 (9.53) - 0.540 (13.72)	1.000 (25.40)	0.900 (22.86)	4	3,000	6 or 8
D26	HCPS-1.9-1008-WT	B-321	Polyolefin	White	00-1	0.375 (9.53) - 0.540 (13.72)	1.000 (25.40)	1.900 (48.26)	2	1,500	6 or 8
<b>Small Quantity Packages</b>											
D26	HSCPS-0.4-2508-WT	B-321	Polyolefin	White	16-22	0.035 (0.89) - 0.075 (1.90)	0.250 (6.35)	0.400 (10.16)	8	1000	8
D26	HSCPS-0.9-2508-WT	B-321	Polyolefin	White	16-22	0.035 (0.89) - 0.075 (1.90)	0.250 (6.35)	0.900 (22.86)	4	500	8
D26	HSCPS-1.9-2508-WT	B-321	Polyolefin	White	16-22	0.035 (0.89) - 0.075 (1.90)	0.250 (6.35)	1.900 (48.26)	2	250	8
D26	HSCPS-0.4-3336-WT	B-321	Polyolefin	White	12-16	0.075 (1.90) - 0.130 (3.30)	0.333 (8.46)	0.400 (10.16)	8	1000	6
D26	HSCPS-0.9-3336-WT	B-321	Polyolefin	White	12-16	0.075 (1.90) - 0.130 (3.30)	0.333 (8.46)	0.900 (22.86)	4	500	6
D26	HSCPS-1.9-3336-WT	B-321	Polyolefin	White	12-16	0.075 (1.90) - 0.130 (3.30)	0.333 (8.38)	1.900 (48.26)	2	250	6
D26	HSCPS-0.4-3758-WT	B-321	Polyolefin	White	10-12	0.130 (3.30) - 0.160 (4.06)	0.375 (9.53)	0.400 (10.16)	8	1000	8
D26	HSCPS-0.9-3758-WT	B-321	Polyolefin	White	10-12	0.130 (3.30) - 0.160 (4.06)	0.375 (9.53)	0.900 (22.86)	4	500	8
D26	HSCPS-1.9-3758-WT	B-321	Polyolefin	White	10-12	0.130 (3.30) - 0.160 (4.06)	0.375 (9.53)	1.900 (48.26)	2	250	8
D26	HSCPS-0.4-5008-WT	B-321	Polyolefin	White	8-10	0.160 (4.06) - 0.235 (5.97)	0.500 (12.70)	0.400 (10.16)	8	1000	6 or 8
D26	HSCPS-0.9-5008-WT	B-321	Polyolefin	White	8-10	0.160 (4.06) - 0.235 (5.97)	0.500 (12.70)	0.900 (22.86)	4	500	6 or 8
D26	HSCPS-1.9-5008-WT	B-321	Polyolefin	White	8-10	0.160 (4.06) - 0.235 (5.97)	0.500 (12.70)	1.900 (48.26)	2	250	6 or 8
D26	HSCPS-0.9-6258-WT	B-321	Polyolefin	White	6-8	0.235 (5.97) - 0.290 (7.36)	0.625 (15.87)	0.900 (22.86)	4	500	8
D26	HSCPS-1.9-6258-WT	B-321	Polyolefin	White	6-8	0.235 (5.97) - 0.290 (7.36)	0.625 (15.87)	1.900 (48.26)	2	250	8
D26	HSCPS-0.9-6676-WT	B-321	Polyolefin	White	4-6	0.290 (7.36) - 0.335 (8.51)	0.667 (16.94)	0.900 (22.86)	4	500	6
D26	HSCPS-1.9-6676-WT	B-321	Polyolefin	White	4-6	0.290 (7.36) - 0.335 (8.51)	0.667 (16.94)	1.900 (48.26)	2	250	6
D26	HSCPS-0.9-7508-WT	B-321	Polyolefin	White	2-4	0.335 (8.51) - 0.390 (9.91)	0.750 (19.05)	0.900 (22.86)	4	500	8
D26	HSCPS-1.9-7508-WT	B-321	Polyolefin	White	2-4	0.335 (8.51) - 0.390 (9.91)	0.750 (19.05)	1.900 (48.26)	2	250	8
D26	HSCPS-0.9-8336-WT	B-321	Polyolefin	White	1-2	0.390 (9.91) - 0.440 (11.17)	0.833 (21.15)	0.900 (22.86)	4	500	6
D26	HSCPS-1.9-8336-WT	B-321	Polyolefin	White	1-2	0.390 (9.91) - 0.440 (11.17)	0.833 (21.15)	1.900 (48.26)	2	250	6
D26	HSCPS-0.9-1008-WT	B-321	Polyolefin	White	00-1	0.375 (9.53) - 0.540 (13.72)	1.000 (25.40)	0.900 (22.86)	4	500	6 or 8
D26	HSCPS-1.9-1008-WT	B-321	Polyolefin	White	00-1	0.375 (9.53) - 0.540 (13.72)	1.000 (25.40)	1.900 (48.26)	2	250	6 or 8

Full Material Properties on page 237.

## Laser Label Materials

Brady continues to stock the following laser-printable labels.

### Laser Printer Sheets - General ID Label Sheets




Fig. Laser-01




Fig. Laser-02

Diagram	Part Number	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horizontal Repeat C Inch (mm)	Horizontal Margin E Inch (mm)	Top Margin F Inch (mm)	Labels Per Row	Labels Per Sheet	Labels Per Pkg
Laser-02	LAT-26-747-10	Polyester	White	0.250 (6.35)	0.250 (6.35)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	26	936	10,000
Laser-02	LAT-1-747-10	Polyester	White	0.300 (7.62)	0.250 (6.35)	0.700 (17.78)	0.875 (22.23)	0.450 (11.43)	22	836	10,000
Laser-01	LAT-2-747-10	Polyester	White	0.375 (9.53)	0.375 (9.53)	0.500 (12.70)	0.875 (22.23)	0.313 (7.95)	16	400	10,000
Laser-01	LAT-45-707-10	Polyester	White	0.500 (12.70)	0.375 (9.53)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	325	10,000
Laser-01	LAT-25-747-10	Polyester	White	0.500 (12.70)	0.437 (11.10)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	286	10,000
Laser-01	LAT-46-707-10	Polyester	White	0.500 (12.70)	0.500 (12.70)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	247	10,000
Laser-01	LAT-40-799-1	Nylon Cloth	White	0.500 (12.70)	0.750 (19.05)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	156	1,000
Laser-01	LAT-40-799-5	Nylon Cloth	White	0.500 (12.70)	0.750 (19.05)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	156	5,000
Laser-01	LAT-38-799-2.5	Nylon Cloth	White	0.500 (12.70)	1.437 (36.50)	0.600 (15.24)	0.875 (22.23)	0.300 (7.62)	13	78	2,500
Laser-01	LAT-3-410-10	Polyolefin	White	0.650 (16.51)	0.250 (6.35)	0.800 (20.32)	0.875 (22.23)	0.325 (8.26)	10	380	10,000
Laser-01	LAT-3-747-10	Polyester	White	0.650 (16.51)	0.250 (6.35)	0.800 (20.32)	0.875 (22.23)	0.325 (8.26)	10	380	10,000
Laser-01	LAT-29-747-10	Polyester	White	0.650 (16.51)	0.200 (5.08)	0.800 (20.32)	0.875 (22.23)	0.325 (8.26)	10	480	10,000
Laser-01	LAT-29-799-10	Nylon Cloth	White	0.650 (16.51)	0.200 (5.08)	0.800 (20.32)	0.875 (22.23)	0.325 (8.26)	10	480	10,000
Laser-01	LAT-4-410-10	Polyolefin	White	0.800 (20.32)	0.250 (6.35)	1.000 (25.40)	0.875 (22.23)	0.350 (8.89)	8	304	10,000
Laser-01	LAT-4-747-10	Polyester	White	0.800 (20.32)	0.250 (6.35)	1.000 (25.40)	0.875 (22.23)	0.350 (8.89)	8	304	10,000
Laser-01	LAT-5-747-10	Polyester	White	0.800 (20.32)	0.500 (12.70)	1.000 (25.40)	0.875 (22.23)	0.350 (8.89)	8	152	10,000
Laser-01	LAT-5-759-10	Paper	White	0.800 (20.32)	0.500 (12.70)	1.000 (25.40)	0.875 (22.23)	0.350 (8.89)	8	152	10,000
Laser-01	LAT-37-799-1	Nylon Cloth	White	0.800 (20.32)	1.437 (36.50)	0.900 (22.86)	0.875 (22.23)	0.300 (7.62)	9	54	1,000
Laser-01	LAT-37-799-2.5	Nylon Cloth	White	0.800 (20.32)	1.437 (36.50)	0.900 (22.86)	0.875 (22.23)	0.300 (7.62)	9	54	2,500
Laser-01	LAT-6-747-10	Polyester	White	1.000 (25.40)	0.250 (6.35)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	266	10,000
Laser-01	LAT-8-707-10	Polyester	White	1.000 (25.40)	0.375 (9.53)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	175	10,000
Laser-01	LAT-8-747-10	Polyester	White	1.000 (25.40)	0.375 (9.53)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	175	10,000
Laser-01	LAT-8-799-10	Nylon Cloth	White	1.000 (25.40)	0.375 (9.53)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	175	10,000
Laser-01	LAT-7-410-10	Polyolefin	White	1.000 (25.40)	0.500 (12.70)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	133	10,000
Laser-01	LAT-7-707-10	Polyester	White	1.000 (25.40)	0.500 (12.70)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	133	10,000
Laser-01	LAT-7-747-10	Polyester	White	1.000 (25.40)	0.500 (12.70)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	133	10,000
Laser-01	LAT-7-799-10	Nylon Cloth	White	1.000 (25.40)	0.500 (12.70)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	133	10,000
Laser-01	LAT-39-799-1	Nylon Cloth	White	1.000 (25.40)	1.437 (36.50)	1.100 (27.94)	0.875 (22.23)	0.300 (7.62)	7	42	1,000
Laser-01	LAT-39-799-2.5	Nylon Cloth	White	1.000 (25.40)	1.437 (36.50)	1.100 (27.94)	0.875 (22.23)	0.300 (7.62)	7	42	2,500
Laser-01	LAT-9-747-10	Polyester	White	1.500 (38.10)	0.250 (6.35)	1.600 (40.64)	0.875 (22.23)	0.300 (7.62)	5	190	10,000
Laser-01	LAT-9-799-10	Nylon Cloth	White	1.500 (38.10)	0.250 (6.35)	1.600 (40.64)	0.875 (22.23)	0.300 (7.62)	5	190	10,000
Laser-01	LAT-41-707-10	Polyester	White	1.500 (38.10)	0.375 (9.53)	1.600 (40.64)	0.875 (22.23)	0.300 (7.62)	5	125	10,000
Laser-01	LAT-47-707-10	Polyester	White	1.500 (38.10)	0.500 (12.70)	1.600 (40.64)	0.875 (22.23)	0.300 (7.62)	5	100	10,000
Laser-01	LAT-10-747-10	Polyester	White	1.875 (47.63)	0.250 (6.35)	2.000 (50.80)	0.875 (22.23)	0.314 (7.98)	4	156	10,000
Laser-01	LAT-11-747-5	Polyester	White	1.875 (47.63)	0.375 (9.53)	2.000 (50.80)	0.875 (22.23)	0.310 (7.87)	4	100	5,000
Laser-01	LAT-13-410-2.5	Polyolefin	White	1.875 (47.63)	0.833 (21.16)	2.000 (50.80)	0.834 (21.18)	0.310 (7.87)	4	44	2,500
Laser-01	LAT-13-747-2.5	Polyester	White	1.875 (47.63)	0.833 (21.16)	2.000 (50.80)	0.834 (21.18)	0.310 (7.87)	4	44	2,500
Laser-01	LAT-13-759-2.5	Paper	White	1.875 (47.63)	0.833 (21.16)	2.000 (50.80)	0.834 (21.18)	0.310 (7.87)	4	44	2,500
Laser-01	LAT-14-747-1.5	Polyester	White	1.875 (47.63)	1.330 (33.78)	2.000 (50.80)	0.834 (21.18)	0.315 (8.00)	4	28	1,500
Laser-01	LAT-31-747-1	Polyester	White	2.000 (50.80)	0.900 (22.86)	2.800 (71.12)	0.875 (22.23)	0.300 (7.62)	3	30	1,000
Laser-01	LAT-33-707-1	Polyester	White	2.000 (50.80)	1.437 (36.50)	2.800 (71.12)	0.875 (22.23)	0.300 (7.62)	3	18	1,000
Laser-01	LAT-33-747-1	Polyester	White	2.000 (50.80)	1.437 (36.50)	2.800 (71.12)	0.875 (22.23)	0.300 (7.62)	3	18	1,000
Laser-01	LAT-21-707-1	Polyester	White	2.500 (63.50)	1.000 (25.40)	2.600 (66.04)	0.875 (22.23)	0.300 (7.62)	3	27	1,000
Laser-01	LAT-21-747-1	Polyester	White	2.500 (63.50)	1.000 (25.40)	2.600 (66.04)	0.875 (22.23)	0.300 (7.62)	3	27	1,000

## Laser Printer Sheets - General ID Label Sheets (cont.)

Diagram	Part Number	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horizontal Repeat C Inch (mm)	Horizontal Margin E Inch (mm)	Top Margin F Inch (mm)	Labels Per Row	Labels Per Sheet	Labels Per Pkg
Laser-01	LAT-12-747-2.5	Polyester	White	3.000 (76.20)	0.375 (9.53)	3.200 (81.28)	0.875 (22.23)	1.150 (29.21)	2	50	2,500
Laser-01	LAT-32-747-1	Polyester	White	3.000 (76.20)	0.900 (22.86)	3.200 (81.28)	0.875 (22.23)	1.150 (29.21)	2	20	1,000
Laser-01	LAT-32-759-1	Paper	White	3.000 (76.20)	0.900 (22.86)	3.200 (81.28)	0.875 (22.23)	1.150 (29.21)	2	20	1,000
Laser-01	LAT-34-707-1	Polyester	White	3.000 (76.20)	1.437 (36.50)	3.200 (81.28)	0.875 (22.23)	1.150 (29.21)	2	12	1,000
Laser-01	LAT-34-747-1	Polyester	White	3.000 (76.20)	1.437 (36.50)	3.200 (81.28)	0.875 (22.23)	1.150 (29.21)	2	18	1,000
Laser-01	LAT-34-759-1	Paper	White	3.000 (76.20)	1.437 (36.50)	3.200 (81.28)	0.875 (22.23)	1.150 (29.21)	2	18	1,000
Laser-01	LAT-175-124	Paper	White	3.062 (77.77)	0.500 (12.70)	0.500 (12.70)	0.938 (23.83)	1.118 (30.18)	2	38	380
Laser-01	LAT-44-707-2.5	Polyester	White	3.600 (91.44)	0.375 (9.53)	-	0.650 (16.51)	0.875 (22.23)	2	40	2,500
Laser-01	LAT-8-712-10	Polyester	Clear	1.000 (25.40)	0.375 (9.53)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	175	10,000
Laser-01	LAT-7-722-10	Polyester	Clear	1.000 (25.40)	0.500 (12.70)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	133	10,000
Laser-01	LAT-13-712-2.5	Polyester	Clear	1.875 (47.63)	0.833 (21.16)	2.000 (50.80)	0.834 (21.18)	0.310 (7.87)	4	44	2,500
Laser-02	LAT-26-652-10	Polyimide	Amber	0.250 (6.35)	0.250 (6.35)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	26	936	10,000
Laser-02	LAT-1-652-10	Polyimide	Amber	0.300 (7.62)	0.250 (6.35)	0.700 (17.78)	0.875 (22.23)	0.450 (11.43)	22	836	10,000
Laser-01	LAT-2-652-10	Polyimide	Amber	0.375 (9.53)	0.375 (9.53)	0.500 (12.70)	0.875 (22.23)	0.313 (7.95)	16	400	10,000
Laser-01	LAT-25-652-10	Polyimide	Amber	0.500 (12.70)	0.437 (11.10)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	286	10,000
Laser-01	LAT-3-652-10	Polyimide	Amber	0.650 (16.51)	0.250 (6.35)	0.800 (20.32)	0.875 (22.23)	0.325 (8.26)	10	380	10,000
Laser-01	LAT-29-652-10	Polyimide	Amber	0.650 (16.51)	0.200 (5.08)	0.800 (20.32)	0.875 (22.23)	0.325 (8.26)	10	480	10,000
Laser-01	LAT-4-652-10	Polyimide	Amber	0.800 (20.32)	0.250 (6.35)	1.000 (25.40)	0.875 (22.23)	0.350 (8.89)	8	304	10,000
Laser-01	LAT-5-652-10	Polyimide	Amber	0.800 (20.32)	0.500 (12.70)	1.000 (25.40)	0.875 (22.23)	0.350 (8.89)	8	152	10,000
Laser-01	LAT-6-652-10	Polyimide	Amber	1.000 (25.40)	0.250 (6.35)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	266	10,000
Laser-01	LAT-8-652-10	Polyimide	Amber	1.000 (25.40)	0.375 (9.53)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	175	10,000
Laser-01	LAT-7-652-10	Polyimide	Amber	1.000 (25.40)	0.500 (12.70)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	133	10,000
Laser-01	LAT-9-652-10	Polyimide	Amber	1.500 (38.10)	0.250 (6.35)	1.600 (40.64)	0.875 (22.23)	0.350 (8.89)	5	190	10,000
Laser-01	LAT-10-652-10	Polyimide	Amber	1.875 (47.63)	0.250 (6.35)	2.000 (50.80)	0.875 (22.23)	0.314 (7.98)	4	156	10,000
Laser-01	LAT-12-652-2.5	Polyimide	Amber	3.000 (76.20)	0.375 (9.53)	3.200 (81.28)	0.875 (22.23)	1.150 (29.21)	2	50	2,500
Laser-01	LAT-7-773-10	Metallized Polyester	Silver	1.000 (25.40)	0.500 (12.70)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	133	10,000
Laser-01	LAT-20-773-2.5	Metallized Polyester	Silver	1.500 (38.10)	0.750 (19.05)	1.600 (40.64)	0.875 (22.23)	0.250 (6.35)	5	60	2,500
Laser-01	LAT-21-773-1	Metallized Polyester	Silver	2.500 (63.50)	1.000 (25.40)	2.600 (66.04)	0.875 (22.23)	0.300 (7.62)	3	27	1,000
Laser-01	LAT-29-747-10-YL	Polyester	Yellow	0.650 (16.51)	0.200 (5.08)	0.800 (20.32)	0.875 (22.23)	0.325 (8.26)	10	480	10,000
Laser-01	LAT-7-747-10-YL	Polyester	Yellow	1.000 (25.40)	0.500 (12.70)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	133	10,000
Laser-01	LAT-13-747-2.5-YL	Polyester	Yellow	1.875 (47.63)	0.833 (21.16)	2.000 (50.80)	0.834 (21.18)	0.310 (7.87)	4	44	2,500
Laser-01	LAT-21-747-1-YL	Polyester	Yellow	2.500 (63.50)	1.000 (25.40)	2.600 (66.04)	0.875 (22.23)	0.300 (7.62)	3	27	1,000
Laser-01	LAT-175-124-YL	Paper	Yellow	3.062 (77.77)	0.500 (12.70)	0.500 (12.70)	0.938 (23.83)	1.118 (30.18)	2	38	380
Laser-01	LAT-175-124-BL	Paper	Blue	3.062 (77.77)	0.500 (12.70)	0.500 (12.70)	0.938 (23.83)	1.118 (30.18)	2	38	380
Laser-01	LAT-175-124-PL	Paper	Purple	3.062 (77.77)	0.500 (12.70)	0.500 (12.70)	0.938 (23.83)	1.118 (30.18)	2	38	380
Laser-01	LAT-175-124-BR	Paper	Brown	3.062 (77.77)	0.500 (12.70)	0.500 (12.70)	0.938 (23.83)	1.118 (30.18)	2	38	380
Laser-01	LAT-175-124-GR	Paper	Green	3.062 (77.77)	0.500 (12.70)	0.500 (12.70)	0.938 (23.83)	1.118 (30.18)	2	38	380
Laser-01	LAT-175-124-GY	Paper	Gray	3.062 (77.77)	0.500 (12.70)	0.500 (12.70)	0.938 (23.83)	1.118 (30.18)	2	38	380
Laser-01	LAT-175-124-OR	Paper	Orange	3.062 (77.77)	0.500 (12.70)	0.500 (12.70)	0.938 (23.83)	1.118 (30.18)	2	38	380
Laser-01	LAT-175-124-RD	Paper	Red	3.062 (77.77)	0.500 (12.70)	0.500 (12.70)	0.938 (23.83)	1.118 (30.18)	2	38	380

## Laser Printer Sheets - Permashield Label Sheets




Fig. Laser-05

Diagram	Part Number	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horizontal Repeat C Inch (mm)	Horizontal Margin E Inch (mm)	Top Margin F Inch (mm)	Labels Per Row	Labels Per Sheet	Labels Per Pkg
Laser-05	LAT-23-747-2.5	Polyester	White	1.000 (25.40)	0.500 (12.70)	1.350 (34.29)	1.000 (25.40)	0.275 (6.99)	6	60	2,500
Laser-05	LAT-24-747-1	Polyester	White	1.750 (44.45)	1.000 (25.40)	2.200 (55.88)	1.000 (25.40)	1.175 (29.85)	3	21	1,000
Laser-05	LAT-23-773-2.5	Metallized Polyester	Silver	1.000 (25.40)	0.500 (12.70)	1.350 (34.29)	1.000 (25.40)	0.275 (6.99)	6	60	2,500
Laser-05	LAT-24-773-1	Metallized Polyester	Silver	1.750 (44.45)	1.000 (25.40)	2.200 (55.88)	1.000 (25.40)	1.175 (29.85)	3	21	1,000

Full Material Properties on page 237.

## Laser Printer Sheets - Self-Laminating Labels




Fig. Laser-06

Diagram	Part Number	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Print-On Area C Inch (mm)	Horizontal Repeat D Inch (mm)	Horizontal Margin E Inch (mm)	Top Margin F Inch (mm)	Labels Per Row	Labels Per Sheet	Labels Per Pkg
Laser-06	LAT-15-361-1	Polyester	White/Clear	0.500 (12.70)	0.750 (19.05)	0.370 (9.40)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	156	1,000
Laser-06	LAT-15-361-5	Polyester	White/Clear	0.500 (12.70)	0.750 (19.05)	0.370 (9.40)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	156	5,000
Laser-06	LAT-48-361-1	Polyester	White/Clear	0.500 (12.70)	1.000 (25.40)	0.375 (9.53)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	117	1,000
Laser-06	LAT-49-361-1	Polyester	White/Clear	0.500 (12.70)	1.250 (31.75)	0.500 (12.70)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	91	1,000
Laser-06	LAT-22-361-5	Polyester	White/Clear	0.500 (12.70)	1.500 (38.10)	0.500 (12.70)	0.600 (15.24)	0.875 (22.23)	0.400 (10.16)	13	78	5,000
Laser-06	LAT-56-361-2.5	Polyester	White/Clear	0.600 (15.24)	1.625 (41.28)	1.000 (25.40)	1.725 (43.82)	0.875 (22.23)	0.850 (21.59)	4	64	2,500
Laser-06	LAT-59-361-2.5	Polyester	White/Clear	0.600 (15.24)	2.625 (66.68)	1.000 (25.40)	2.725 (69.22)	0.875 (22.23)	0.213 (5.41)	3	45	2,500
Laser-06	LAT-50-361-1	Polyester	White/Clear	0.750 (19.05)	1.000 (25.40)	0.375 (9.53)	0.850 (21.59)	0.875 (22.23)	0.475 (12.07)	9	81	1,000
Laser-06	LAT-51-361-1	Polyester	White/Clear	0.750 (19.05)	1.500 (38.10)	0.500 (12.70)	0.850 (21.59)	0.875 (22.23)	0.475 (12.07)	9	54	1,000
Laser-06	LAT-16-361-5	Polyester	White/Clear	1.000 (25.40)	0.750 (19.05)	0.340 (8.64)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	84	5,000
Laser-06	LAT-16-361-1	Polyester	White/Clear	1.000 (25.40)	0.750 (19.05)	0.340 (8.64)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	84	1,000
Laser-06	LAT-17-361-2.5	Polyester	White/Clear	1.000 (25.40)	1.000 (25.40)	0.340 (8.64)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	63	2,500
Laser-06	LAT-17-361-1	Polyester	White/Clear	1.000 (25.40)	1.000 (25.40)	0.340 (8.64)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	63	1,000
Laser-06	LAT-18-361-1	Polyester	White/Clear	1.000 (25.40)	1.330 (33.78)	0.500 (12.70)	1.100 (27.94)	0.834 (21.18)	0.450 (11.43)	7	49	1,000
Laser-06	LAT-18-361-2.5	Polyester	White/Clear	1.000 (25.40)	1.330 (33.78)	0.500 (12.70)	1.100 (27.94)	0.834 (21.18)	0.450 (11.43)	7	49	2,500
Laser-06	LAT-39-361-1	Polyester	White/Clear	1.000 (25.40)	1.437 (36.50)	0.500 (12.70)	1.100 (27.94)	0.875 (22.23)	0.300 (7.62)	7	42	1,000
Laser-06	LAT-58-361-1	Polyester	White/Clear	1.000 (25.40)	2.625 (66.68)	1.000 (25.40)	1.100 (27.94)	0.875 (22.23)	0.450 (11.43)	7	21	1,000
Laser-06	LAT-19-361-1	Polyester	White/Clear	1.000 (25.40)	3.167 (80.44)	0.970 (24.64)	1.100 (27.94)	0.834 (21.18)	0.450 (11.43)	7	21	1,000
Laser-06	LAT-35-361-2.5	Polyester	White/Clear	1.200 (30.48)	1.500 (38.10)	0.500 (12.70)	1.270 (32.23)	0.875 (22.23)	0.400 (10.16)	6	36	2,500
Laser-06	LAT-52-361-1	Polyester	White/Clear	1.500 (38.10)	1.000 (25.40)	0.375 (9.53)	0.875 (22.23)	0.300 (7.62)	0.300 (7.62)	5	45	1,000
Laser-06	LAT-53-361-1	Polyester	White/Clear	1.500 (38.10)	1.500 (38.10)	0.500 (12.70)	1.600 (40.64)	0.300 (7.62)	0.300 (7.62)	5	30	1,000
Laser-06	LAT-54-361-1	Polyester	White/Clear	1.750 (44.45)	1.000 (25.40)	0.375 (9.53)	0.875 (22.23)	0.600 (15.24)	0.600 (15.24)	4	36	1,000
Laser-06	LAT-55-361-1	Polyester	White/Clear	1.750 (44.45)	1.500 (38.10)	0.375 (9.53)	0.875 (22.23)	0.600 (15.24)	0.600 (15.24)	4	24	1,000
Laser-06	LAT-27-361-1	Polyester	White/Clear	1.875 (47.63)	3.167 (80.44)	0.968 (24.59)	2.000 (50.80)	0.875 (22.23)	0.215 (5.46)	4	12	1,000




Fig. Laser-03

## Laser Printer Sheets - 110 Block Markers

Diagram	Part Number	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Horizontal Repeat C Inch (mm)	Labels Per Row	Labels Per Sheet	Labels Per Pkg
Laser-03	LAT-177-124-BL	Paper	Blue	7.900 (200.66)	0.475 (12.07)	8.500 (215.90)	1	-	180
Laser-03	LAT-177-124-GY	Paper	Gray	7.900 (200.66)	0.475 (12.07)	8.500 (215.90)	1	-	180
Laser-03	LAT-177-124-YL	Paper	Yellow	7.900 (200.66)	0.475 (12.07)	8.500 (215.90)	1	-	180

## Laser Printer Sheets - Non Die-Cut Sheets

Part Number	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Sheet	Labels Per Pkg
LAT-28-747-25-SH	Polyester	White	8.500 (215.90)	11.000 (279.40)	1	25 Sheets
LAT-28-722-25-SH	Polyester	Clear	8.500 (215.90)	11.000 (279.40)	1	25 Sheets
LAT-28-773-25-SH	Metallized Polyester	Silver	8.500 (215.90)	11.000 (279.40)	1	25 Sheets
LAT-28-747Y-25-SH	Polyester	Yellow	8.500 (215.90)	11.000 (279.40)	1	25 Sheets