

MiVoice S720 Bluetooth Speakerphone

Enjoy crystal clear HD audio, while maximizing productivity during conference calls through this premium portable and easy-to-use Bluetooth Speakerphone

Key Features

- Bluetooth 4.2 – with a wireless range of up to 100ft (30m)
- Up to 15 hours of talk time
- HD Voice wideband audio
- Battery powered with USB charging
- Omni-directional microphone
- Portable design
- Dual connect – MiVoice 6900 & Mobile Phone
- Music playback via mobile phone music player
- Link two S720 BT Speakerphones together wirelessly for extended coverage
- Supported on the MiVoice 6930 & 6940 IP Phones



The MiVoice S720 Bluetooth (BT) Speakerphone allows you to instantly transform any room into a conference room for up to six people. Enabling all attendees to contribute while on a call thanks to the omni-directional microphone and HD voice. You can even extend the coverage to up to twelve people quickly and easily by wirelessly linking in a second MiVoice S720 BT Speakerphone.

The MiVoice S720 BT Speakerphone is the perfect solution for office side table and small meeting room conference calls. Speakerphone functionality is tightly integrated with the MiVoice 6930 & 6940 IP Phone's built-in Bluetooth 4.1 interface. Multiparty conference calls can be setup using the inherent conferencing capability of the MiVoice 6900 desk phone and then seamlessly moved to the MiVoice S720 BT Speakerphone. Users can even take the speakerphone on the road with them and pair it with their mobile phone for hotel room or other on-the-go conference calls. The S720 BT Speakerphone features a lightweight design, comes with a protective travel pouch and boasts an impressive 15 hours of talk time before the battery needs to be recharged. The MiVoice S720 BT Speakerphone also doubles as a high-fidelity Bluetooth speaker when paired with the music player on the user's mobile phone. Users can even link two speakerphones together to enjoy stereo music playback.

Enhance the way you collaborate

Remove the wires that tie you to your desk. With an extended range of up to 100 feet (30 meters) benefit from being able walk into an adjacent office or meeting room to bring others into a call.

Enjoy crystal clear sound

Always understand conference call conversations thanks to the crystal-clear wideband HD Voice audio.

Coverage for up to 6 people

Omni directional microphone makes for clear conversation pick for office side table and small meeting room conference calls.

Link two for extended coverage

Quickly link two S720 BT Speakerphones together to wirelessly extend coverage for up to 12 people.

Easy to install & use

Easy end user installation ensures you will be making conference calls in no time at all. Seamless integration with the MiVoice 6930 & 6940 IP Phone's built-in BT 4.1 interface makes for reliable and intuitive operation.

Use all day without recharging

Benefit from a battery whose charge will last for your whole working day. Collaborate with colleagues or customers for up to 15 hours with no need to charge the Speakerphone.

Doubles as BT Speaker

Experience the music on your mobile phone as it was supposed to be heard, link two MiVoice S720 BT Speakerphones together for a complete stereo experience.

Supported on the Following Phones

- *MiVoice 6930 IP Phone*
- *MiVoice 6940 IP Phone*

Minimum System Software Requirements

- *MiVoice Business Release 8 SP2 or later*

Range

- *Up to 100 feet (30 meters)*

Connectivity

- *USB 2.0 for charging (via 90cm USB cord)*
- *Bluetooth 4.2 – Bluetooth Low Energy (BTLE)*
 - *Supported Bluetooth® profiles: Headset profile v1.2, hands free profile v1.6, A2DP v1.2, AVRCP v1.5*
 - *Paired devices: up to 8 – only 2 active at a time*

Charging

- *Talk Time*
 - *15 hours*
- *Stand-By Time*
 - *Power safe after 15 min / standby 480 days*
- *Charging Interface*
 - *USB Type A*
- *Charging Power & Time*
 - *3 hours @ USB 500mA*

Accessories

Optional Kensington Lock Adapter allows the speakerphone to be secured against theft when being deployed in common use meeting spaces.



Environmental / Regulatory Standards

- Operational:
 - » *Operational 15°C to +25°C (59° to 77°F)*
- Storage:
 - » *Storage -40°C to +65°C (-40° to 149°F)*

EMC/Radio

CANADA:
ICES-003 (CLASS B)
RSS-247

USA:
CFR Title 47, Part 15 Subpart B (CLASS B)
FCC Part 15 Subpart C

EUROPE:
EN55024 (EU)
EN55032, Class B
EN 301-489-1-17
EN 300 328
EN 50360
Directive 2014/53/EU

AUSTRALIA / NEW ZEALAND:
AS/NZS CISPR 22

Safety

CANADA:
CAN/CSA C22.2 No. 60950-1

USA:
UL 60950-1

EUROPE:
EN 60950-1

AUSTRALIA / NEW ZEALAND:
AS/NZS 60950-1

Other

- *Size: Ø131mm / h38mm (Ø5.2 in / h1.5 in)*
- *Weight: 296 g / 10.44 oz.*