

**PoolONE CS (Аналоговые модели- Постоянный поток)**

Модель	Описание	Артикул	Цена
PoolONE CS 1,5 l/h	PoolONE CS 1,5 l/h 1,5 Bar, 220~240VAC, CONSTANT FLOW ANALOGIC PUMP	PNCS1H1HA0100	
PoolONE CS 5 l/h	PoolONE CS 5 l/h 1,5 Bar, 220~240VAC, CONSTANT FLOW ANALOGIC PUMP	PNCS1H50A0100	\$306,61

**PoolONE RG (Аналоговые модели - Постоянный регулируемый поток)**

Модель	Описание	Артикул	\$258,85
PoolONE RG 4 l/h	PoolONE RG 4 l/h 1,5 Bar, 220~240VAC, CONSTANT FLOW ANALOGIC PUMP ADJUSTABLE	PNRG1H40A0100	\$306,61

**PoolONE RG-Plus (Цифровые модели- Постоянный регулируемый поток)**

Модель	Описание	Артикул	Цена
PoolONE RG-Plus 150 ml/h	PoolONE RG-P 150 ml/h 1,5 Bar, 100~240VAC CONSTANT FLOW DIGITAL PUMP ADJUSTABLE	PNRG1H0BM0100	\$466,86

**PoolONE pH or ORP (Модели со встроенным контроллером)**

Модель	Описание	Артикул	Цена
PoolONE pH 1,5 l/h	PoolONE pH (3,8-8,2 pH), 1,5 l/h 1,5 Bar, 220~240VAC CONSTANT FLOW DIGITAL WITH INSTRUMENT PUMP	PNPH1H1HA0100	\$494,59
PoolONE ORP 1,5 l/h	PoolONE ORP (400-999 mV), 1,5 l/h 1,5 Bar, 220~240VAC CONSTANT FLOW DIGITAL WITH INSTRUMENT PUMP	PNRX1H1HA0100	\$494,59

**PoolDose pH or ORP Single (Модели со встраенным контроллером)**

Модель	Описание	Артикул	Цена
PoolDose pH 1,5l/h WiFi	PoolDose WiFi pH 1,5BAR 1,5L/H 220~240VAC	PDPH1H1HAW100	\$1065,98
PoolDose ORP 1,5l/h WiFi	PoolDose WiFi ORP 1,5BAR 1,5L/H 220~240VAC	PDRX1H1HAW100	\$1056,98

**PoolDose Double pH+ORP or pH+ORP+Chlorine (Модели со встроенным контроллером)**

Модель	Описание	Артикул	Цена
PoolDose Double pH/ORP WiFi	PoolDose Double WiFi pH/ORP 1,5BAR 1,5L/H 220~240VAC	PDPR1H1HAW100	\$1693,33
PoolDose Double pH/ORP/CL-Amp WiFi	PoolDose Double WiFi pH/ORP/CL-Amp 1,5BAR 1,5L/H 220~240VAC	PDHC1H1HAW100	\$2 839,69
PoolDose Double SPA pH/ORP 0,4 L/H WiFi	PoolDose Double WiFi pH/ORP (SPA Application) 1,5BAR 0,4 L/H 220~240VAC	PDPR1H04AW100	\$1 693,33

**KemiDose Double pH+ORP or pH+ORP+Chlorine (Модели со встроенным контроллером)**

Модель	Описание	Артикул	Цена
KemiDose pH/ORP WiFi	KemiDose WiFi pH/ORP 5BAR 5L/H 220~240VAC, PVDF/SC/FPM	KDPR5050AWH00	\$2 653,25
KemiDose pH/ORP/ CL-Amp WiFi	KemiDose Wi-Fi pH/ORP/CL-Amp 5BAR 5L/H 220~240VAC, PVDF/SC/FPM	KDHC5050AWH00	\$3 497,61

**PoolDose Готовые панели**

Модель	Описание	Артикул	Цена
<b>New</b> PoolDose Panel pH/ORP (WiFi)	PoolDose Double WiFi pH/ORP 1,5BAR 1,5L/H 220~240VAC All probes included	KPSP1XAP4000T	\$2 483,76
<b>New</b> PoolDose Panel pH/ORP/CL-Amp (WiFi)	PoolDose Double WiFi pH/ORP/CL-Amp 1,5BAR 1,5L/H 220~240VAC All probes included	KPS03PAP4000T	\$3 542,29
<b>New</b> PoolDose Panel pH/ORP/CL-MEM (WiFi)	PoolDose Double WiFi pH/ORP/CL-Membrane 1,5BAR 4L/H 220~240VAC All probes included	KPS07PAP4000T	\$4 086,20



POOLPhotometer Фотометры			
Модель	Описание	Артикул	
PoolPhotometer	Range measure: 0-14pH, +1500mV, 0-5ppm Free Chlorine Power Supply: 100-240 Vac 50/60 Hz 20Watt <b>(*Probe and Buffer Redox are not included)</b>	SPP3CLWM0000	\$7 671.64
PoolPhotometer SekoWeb Close loop	Range measure: 0-14pH, +1500mV, 0-5ppm Free Chlorine Power Supply: 100-240 Vac 50/60 Hz 20Watt With pressurized probe holder pH/redox only and Data Logger, <b>(*Probe and Buffer Redox are not included)</b>	SPP3CLWMDA00	\$9 204.73



Готовая система с фотометром			
Модель	Описание	Артикул	
Photometer System Total Chlorine	Photometer for Total Chlorine: Range: 0-5ppm, PS: 100-240 Vac 50/60Hz 20W	SPT2CTMW0000	\$9 431.23
Photometer System Free Chlorine	Photometer for Free Chlorine: Range: 0-5ppm, PS: 100-240 Vac 50/60Hz 20W	SPT2CLMW0000	\$9 431.23
Photometer System pH + Free Chlorine Sea Water	Photometer for pH and Free Chlorine - Sea water application: Range: 0-5ppm, pH 0-14, 100-240 Vac 50/60Hz 20W <b>(SEA WATER APPLICATION)</b>	SPT3CLMW0001	\$9 801.02
Photometer System pH + Free Chlorine	Photometer for pH and Free Chlorine - Range: 0-5ppm, pH 0-14, PS: 100-240 Vac 50/60Hz 20W	SPT3CLMW0000	\$9 941.24
Photometer System pH+ORP+Free Chlorine	Photometer for pH/REDOX and Free Chlorine: Range: 0-5ppm, pH 0-14, ±1,500mV, 100-240 Vac 50/60Hz 20W	SPT4CLMW0000	\$13 314.05
Photometer System pH + ORP + Free, Total and combined Chlorine	Photometer for pH/REDOX/Free, Total and Combined Chlorine: Range: 0-5ppm, pH 0-14, ±1,500mV, 100-240 Vac 50/60Hz 20W	SPT5CLMW0000	\$14 711.55



Панели для обработки воды с встроенным контроллером pH			
Модель	Описание	Артикул	
KONTROL GUARD FORT PC AKS 603	Range measure: 0-14pH / 0-5ppm Cloro Power supply: 100-240 Vac 50/60 Hz 20Watt AKS603 PUMP	KPS02PM85G00	\$6 907.40
KONTROL GUARD FORT PC AKS 800	Range measure: 0-14pH / 0-5ppm Cloro Power supply: 100-240 Vac 50/60 Hz 20Watt AKS800 PUMP	KPS02PM84G00	\$6 907.40
KONTROL GUARD FORT PC AKS 803	Range measure: 0-14pH / 0-5ppm Cloro Power supply: 100-240 Vac 50/60 Hz 20Watt AKS803 PUMP	KPS02PM89G00	\$6 907.40



Kontrol 800 Panel панели для обработки воды со встроенным контроллером pH и Cl			
Модель	Описание	Артикул	
Kontrol800 Tech panel pH+ORP+FCLa	Kontrol 800 Tech panel pH + Redox + CL (Amp)	KPS03PM00K00	\$7 936.66
Kontrol800 Tech panel pH+FCLp	Kontrol 800 Tech panel pH+CL(Pot) (*)	KPS06PM00K00	\$6 176.91
Kontrol800 Tech panel pH+ORP+FCLp	Kontrol 800 Tech panel pH+Rx +CL (Pot) (*)	KPS07PM00K00	\$6 816.49
Kontrol800 Tech panel pH+ORP+FCLp+TCLp	Kontrol 800 Tech panel pH+ Rx +CL (Pot) + CLT (Pot) (*)	KPS13PM00K00	\$9 941.24
Kontrol800 Tech panel pH+ORP+FCLa+TB	Kontrol 800 Tech panel pH+ORP+CL(Amp)+NTU (*) 100-240VAC PLEXIGLAS MODULE 5BAR - 50°C	KPS14PM00K00	\$10 961.25
Kontrol800 Tech panel pH+ORP+FCLp+TB	Kontrol 800 Tech panel pH+ORP+CL(Pot)+ NTU (*) 100-240VAC PLEXIGLAS MODULE 5BAR - 50°C	KPS15PM00K00	\$11 568.32

Note(\*): Chlorine probe not included



Kontrol 800 Panel панели для обработки воды со встроенным контроллером pH и Cl			
Model	Description	Code	
K800 Panel pH+ORP	Range measure: 0-14pH / ±1500mV Power supply: 100-240 Vac 50/60 Hz 20Watt	KPS01PM00000	\$3 163.26
K800 Panel pH+CL-Amp	Range measure: 0-14pH / 0-5ppm Cloro Power supply: 100-240 Vac 50/60 Hz 20Watt	KPS02PM00000	\$6 311.11
K800 Panel pH+ORP+CL-Amp	Range measure: 0-14pH / ±1500mV / 0-5ppm Cloro Power supply: 100-240 Vac 50/60 Hz 20Watt	KPS03PM00000	\$7 198.61
K800 Panel CL-Amp	Range measure: 0-5 ppm Cloro Power supply: 100-240 Vac 50/60 Hz 20Watt	KPS04PM00000	\$4 365.08
K800 Panel CL-pot.	Range measure: Chlor., H2O2, PAA, Brome by 4-20mA Input Power supply: 100-240 Vac 50/60 Hz 20Watt <b>Probe Chlorine, H2O2, PAA not included</b>	KPS05PM00000	\$3 610.09
K800 Panel pH+CL-pot.	Range measure: 0-14pH / Chlor., H2O2, PAA, Brome by 4-20mA Input Power supply: 100-240 Vac 50/60 Hz 20Watt <b>Probe Chlorine, H2O2, PAA not included</b>	KPS06PM00000	\$5 306.51
K800 Panel pH+ORP+CL-pot.	Range measure: 0-14pH / ±1500mV Chlorine, H2O2, PAA, Brome by 4-20mA Input Power supply: 100-240 Vac 50/60 Hz 20Watt <b>Probe Chlorine, H2O2, PAA not included</b>	KPS07PM00000	\$6 055.34
K800 Panel pH+ORP+Free + Total CL- pot. and Combine	Range measure: 0-14pH / ±1500mV / 0-5 ppm Free, Total, Combined Chlorine Power supply: 100-240 Vac 50/60 Hz 20Watt <b>Total Chlorine probe not included</b>	KPS08PM00000	\$8 828.78



POOLFEEDER Готовое решение для дозирования хлора в бассейн			
Model	Description	Code	
POOLFEEDER TABS XL	FEEDER TABS WITH ADD BASIN 100-240VAC, Pool size: Outdoor 2200 m³ - Indoor 2100 m³	PWT008ARB000	\$18 521.95
POOLFEEDER TABS L	FEEDER TABS 100-240VAC, Pool size: Outdoor 1800 m³ - Indoor 1700 m³	PWT008AR0000	\$14 993.52
POOLFEEDER TABS M	FEEDER TABS 100-240VAC Medium type, Pool size: Outdoor 900 m³ - Indoor 850 m³	PWT002A0M000	\$9 881.15

### Соленоидные насосы серии Компакт



Модель	Описание	Артикул	
Компакт pump - AMS 200	Компакт pump - AMS 200 PVDF/SC/FPM 100-240 Vac, 5L/H at 8 Bar	AMS200АНН0000	\$468.40
Компакт pump - AML 200	Компакт pump - AML 200 PVDF/SC/FPM 100-240 Vac, 5L/H at 8 Bar	AML200ННН00000	\$491.51
Компакт pump - DRP 200	Компакт pump - DRP 200 PVDF/SC/FPM 100-240 Vac, 5L/H at 8 Bar	DRP200ННН00000	\$869.01

### Соленоидные насосы серии Текна



Модель	Описание	Артикул	
Текна pump AKS 603	Текна pump - AKS 603 PVDF/SC/FPM 100-240 Vac, 8L/H at 2 Bar	AKS603ННН00000	\$499.21
Текна pump AKS 800	Текна pump - AKS 800 PVDF/SC/FPM 100-240 Vac, 18L/H at 2 Bar	AKS800ННН00000	\$662.54
Текна pump AKS 803	Текна pump - AKS 803 PVDF/SC/FPM 100-240 Vac, 110L/H at 1 Bar	AKS803ННН00000	\$895.20
Текна pump AKL 603	Текна pump - AKL 603 PVDF/SC/FPM 100-240 Vac, 8L/H at 2 Bar	AKL603ННН00000	\$557.76
Текна pump AKL 800	Текна pump - AKL 800 PVDF/SC/FPM 100-240 Vac, 18L/H at 2 Bar	AKL800ННН00000	\$693.36
Текна pump AKL 803	Текна pump - AKL 803 PVDF/SC/FPM 100-240 Vac, 110L/H at 1 Bar	AKL803ННН00000	\$910.61
Текна pump APG 603	Текна pump - APG 603 PVDF/SC/FPM 100-240 Vac, 8L/H at 2 Bar	APG603ННН00000	\$647.13
Текна pump APG 800	Текна pump - APG 800 PVDF/SC/FPM 100-240 Vac, 18L/H at 2 Bar	APG800ННН00000	\$790.43
Текна pump APG 803	Текна pump - APG 803 PVDF/SC/FPM 100-240 Vac, 110L/H at 1 Bar	APG803ННН00000	\$999.97
Текна pump TPG 603	Текна pump - TPG 603 PVDF/SC/FPM 100-240 Vac, 8L/H at 2 Bar	TPG603ННН00000	\$779.64
Текна pump TPG 800	Текна pump - TPG 800 PVDF/SC/FPM 100-240 Vac, 18L/H at 2 Bar	TPG800ННН00000	\$904.44
Текна pump TPG 803	Текна pump - TPG 803 PVDF/SC/FPM 100-240 Vac, 110L/H at 1 Bar	TPG803ННН00000	\$1 112,45
Текна pump TPR 603	Текна pump - TPR 603 PVDF/SC/FPM 100-240 Vac, 8L/H at 2 Bar	TPR603ННН00000	\$949.13
Текна pump TPR 800	Текна pump - TPR 800 PVDF/SC/FPM 100-240 Vac, 18L/H at 2 Bar	TPR800ННН00000	\$1 093,96
Текна pump TPR 803	Текна pump - TPR 803 PVDF/SC/FPM 100-240 Vac, 110L/H at 1 Bar	TPR803ННН00000	\$1 278,86
Текна pump TCK 603	Текна pump - TCK 603 PVDF/SC/FPM 100-240 Vac, 8L/H at 2 Bar	TCK603ННН00000	\$756.53
Текна pump TCK 800	Текна pump - TCK 800 PVDF/SC/FPM 100-240 Vac, 18L/H at 2 Bar	TCK800ННН00000	\$876.71
Текна pump TCK 803	Текна pump - TCK 803 PVDF/SC/FPM 100-240 Vac, 110L/H at 1 Bar	TCK803ННН00000	\$1 078,56

### Насосы с электроприводом серии Spring



Модель	Описание	Артикул	
Spring MS1 -PVC/EPDM-120,0l/h	Spring MS1 -PVC/EPDM- 120,0l/h -10bar - 0.18KW Threephases Standard motor	MS1B108C34A4000	\$1 500,73
Spring MS1 -PVC/EPDM-330,0l/h	Spring MS1 -PVC/EPDM- 330,0l/h -5bar - 0.37KW Threephases Standard motor	MS1C165B34C4000	\$1 879,77

### Контроллер Kontrol 40



Модель	Описание	Артикул	
K40 PH/ORP 144x144	K40 PH/REDOX 144x144 [pH: 0-14, Redox ±1,500 mV; Enclosure: 144x144x90 mm, Power Supply 100-240 Vac]	SPR040WM0000	\$1 135,56
K40 FLOW RATE 144x144	K40 FLOW RATE 144x144 [Flow rate: 0-99,999 L/s, L/min, L/H, m³/H, GPM; Enclosure: 144x144x90 mm, Power Supply 100-240 Vac]	SFX040WM0000	\$1 135,56
K40 CHLORINE 144x144	K40 CHLORINE 144x144 [Chlorine: 0-200 ppm; Enclosure: 144x144x90 mm, Power Supply 100-240 Vac]	SCL040WM0000	\$1 135,56

### Контроллер Kontrol 65



Модель	Описание	Артикул	
K65 PH/ORP 144x144	K65 PH/REDOX 144x144 [pH: 0-14, Redox ±2,000 mV; Enclosure: 144x144 mm, Power Supply 24/115/220 Vac]	K065PRWH0000	\$1 220,31
K65 CL-AMP 144x144	K65 CL-AMP 144x144 [Amp. Chlorine: 0-5 ppm; Enclosure: 144x144 mm, Power Supply 24/115/220 Vac]	K065APWH0000	\$1 220,31
K65 FLOW RATE 144x144	K65 FLOW RATE 144x144 [Flow rate: 0-99,999 L/s, L/min, L/H, m³/H, GPM; Enclosure 144x144 mm, Power Supply 24/115/220 Vac]	K065FXWH0000	\$1 220,31
K65 INPUT MA 144x144	K65 INPUT MA 144x144 [Module Parameter (MP): 0 -99,999 ppm, ppb, mg/l, mA or Custom; Measure: Cl,PAA,H2O2,O3 or Custom; Enclosure 144x144 mm, Power Supply 24/115/220 Vac]	K065MPWH0000	\$1 220,31

### Контроллер Kontrol 100



Модель	Описание	Артикул	
K100 PH/ORP 144x144	K100 PH/REDOX 144x144 [pH: 0-14, Redox ±2,000 mV; Enclosure: 144x144 mm, Power Supply 100-240 Vac]	K100PRWH0000	\$1 434,48
K100 FLOW RATE 144x144	K100 FLOW RATE 144x144 [Flow rate: 0-99,999 L/s, L/min, L/H, m³/H, GPM; Enclosure 144x144 mm, Power Supply 100-240 Vac]	K100FXWH0000	\$1 408,29
K100 INPUT MA 144x144	K100 INPUT MA 144x144 [Module Parameter (MP): 0 -99,999 ppm, ppb, mg/l, mA or Custom; Measure: Cl,PAA,H2O2,O3 or Custom; Enclosure 144x144 mm, Power Supply 100-240 Vac]	K100MPWH0000	\$1 408,29



### Контроллер Kontrol 42

Модель	Описание	Артикул	
K42 PH/ORP-PH/ORP	K42 PH/REDOX - PH/REDOX [pH: 0-14, Redox ±1,500 mV, Enclosure: 290x280x140 mm, Power Supply 100-240 Vac]	K042PRWM0000	\$1 366,68
K42 PH/ORP - CHLORINE	K42 PH/REDOX - CHLORINE [pH: 0-14, Redox ±1,500 mV, Chlorine: 0-200 ppm, Enclosure: 290x280x140 mm, Power Supply 100-240 Vac]	K042PCWM0000	\$1 366,68



### Контроллер Kontrol 102

Модель	Описание	Артикул	
<b>New</b> K102 pH/ORP Serial Port RS485	K102 PH - REDOX 220x144 [pH: 0-14, Redox ±2,000 mV; Enclosure: 220x144 mm, Power Supply 100-240 Vac]	K102PRZMA000	\$2 083,16
<b>New</b> K102 pH/ORP and CL Serial Port RS485	K102 PH - INPUT MA 220x144 [pH: 0-14, Redox ±2,000 mV; Module Parameter (MP): 0 -99,999 ppm,ppb,mg/l, mA or Custom; Measure: Cl, PAA, H2O2, O3 or Custom; Enclosure: 220x144 mm, Power Supply 100-240 Vac]	K102PMZMA000	\$2 083,16



### Контроллер Kontrol 800

Модель	Описание	Артикул	
K800 CL-AMP	K800 CL-AMP [CL-Amp: 0-5 ppm; Enclosure: 278X285 mm. Wall Mounting, RAL7004, Power Supply 100-240 Vac]	K800L01WM000	\$2 796,55
K800 PH/ORP	K800 PH/REDOX [pH: 0-14, Redox ±2,000 mV; Enclosure: 278X285 mm. Wall Mounting, RAL7004, Power Supply 100-240 Vac]	K800L02WM000	\$2 796,55
K800 PH/CL-AMP	K800 PH/CL-AMP [pH: 0-14, CL-Amp: 0-5 ppm; Enclosure: 278X285 mm. Wall Mounting, RAL7004, Power Supply 100-240 Vac]	K800L03WM000	\$2 796,55
K800 PH/ORP/CL-AMP	K800 PH/REDOX/CL-AMP [pH: 0-14, Redox ±2,000 mV, CL-Amp: 0-5 ppm; Enclosure: 278X285 mm. Wall Mounting, RAL7004, Power Supply 100-240 Vac]	K800L04WM000	\$3 019,96
K800 CL-POT	K800 CL-POT [CL-Pot: 0-1;2;5;10;20;200 ppm; Enclosure: 278X285 mm. Wall Mounting, RAL7004, Power Supply 100-240 Vac]	K800L06WM000	\$2 796,55
K800 PH/CL-POT	K800 PH/CL-POT [pH: 0-14, CL-Pot: 0-1; 2; 5; 10; 20; 200 ppm; Enclosure: 278X285 mm. Wall Mounting, RAL7004, Power Supply 100-240 Vac]	K800L07WM000	\$2 796,55



### Контроллер Kontrol 800-Tech

Модель	Описание	Артикул	
K800 Tech PH/ORP/CL-AMP	K800 Tech PH/REDOX/CL-AMP [pH: 0-14, Redox ±2,000 mV, CL-Amp: 0-5 ppm; Enclosure: 278X285 mm. Wall Mounting, RAL7004, Power Supply 100-240 Vac]	K800G04WM000	\$3 497,61
K800 Tech PH/ORP/TB	K800 Tech PH/REDOX/TB [pH: 0-14, Redox ±2,000 mV, CL-Amp: 0-5 ppm, Turbidity: 0-10 NTU; Enclosure: 278X285 mm. Wall Mounting, RAL7004, Power Supply 100-240 Vac]	K800G12WM000	\$3 497,61
K800 Tech Full Mode	K800 Tech FULL MODE [pH: 0-14, Redox ±2,000 mV, CL-Amp: 0-5 ppm, EC-Cond: 0- 20,000 µS; CL-Pot: 0+1;2;5;10;20;200 ppm, Turbidity: 0-10 NTU; Enclosure: 280X290 mm. Wall Mounting, RAL7004, Power Supply 100-240 Vac]	K800GFMWM000	\$3 918,25



### Компрессоры

Модель	Описание	Артикул	
BLOWER SERIES 040	Blower - SINGLE impeller / SINGLE stadium - Three phases - 1,3kW - 1 ½"	BL04000101300	\$801,21
BLOWER SERIES 050	Blower - SINGLE impeller / SINGLE stadium - Three phases - 2,2kW - 2"	BL05000102200	\$1 224,93
BLOWER SERIES 820	Blower - DOUBLE impeller / SINGLE stadium - Three phases - 11kW - 2 ½"	BL82002011000	\$7 807,23

### Датчики pH/ORP

Модель	Описание	Артикул	
SPH-1-SJ-B1,5M, PH PROBE	SPH1-WP-SJ: pH 2-12, T=0-60°C, P=6 bar, Body=PP, Membrane=Glass, S/J, L=1.5m, BNC	9900105001	\$217,25
SPH-1-SJ-B6M, PH PROBE	SPH1-WP-SJ: pH 2-12, T=0-60°C, P=6 bar, Body=PP, Membrane=Glass, S/J, L=6m, BNC	9900105096	\$244,98
SPH-1-DJ-B6M, PH PROBE	SPH1-WP-DJ: pH 2-12, T=0-60°C, P=6 bar, Body=PP, Membrane=Glass, D/J, L=6m, BNC	9900105105	\$286,58
SPH-2-SJ-S8, PH PROBE	SPH2-WP: pH 2-12, T=0-60°C, P=6 bar, Body=Epoxy, Membrane=Glass, S/J, PG 13.5mm, S8	9900105003	\$309,70
SPH-3-WW-DJ-S8, PH PROBE	SPH3-WW: pH 0-14, T=0-80°C, P=6 bar, Body=Glass, Membrane=Glass, S/J, PG 13.5mm, S8	9900105005	\$372,87
SRH-1-SJ-B1,5M-PT ORP PROBE	SRH1-WP-SJ: ±1000 mV, 0-60°C, P=6bar, Pt, Body=PP, S/J, L=1.5m, BNC yellow	9900105031	\$249,60
SRH-1-SJ-B6M-PT ORP PROBE	SRH1-WP-SJ: ±1000 mV, 0-60°C, P=6bar, Pt, Body=PP, S/J, L=6m, BNC yellow	9900105097	\$269,64
SRH-2-SJ-B6M-AU ORP PROBE	SRH2-WP: ±2000 mV, 0-60°C, P=6bar, Au, Body=Epoxy, S/J, L=6m, BNC yellow	9900105083	\$305,07
SRH-1-SJ-B6M-AU ORP PROBE	SRH1-WP-AU: ±2000 mV, 0-60°C, P=6bar, Au, Body=PP, S/J, L=6m, BNC yellow	9900105103	\$292,75
SRH-1-DJ-B6M-PT ORP PROBE	SRH1-WP-DJ: ±1000 mV, 0-60°C, P=6bar, Pt, Body=PP, D/J, L=6m, BNC yellow	9900105104	\$286,58
SRH-3-WW-DJ-S8-PT ORP PROBE	SRH3-WW: ±1000 mV, 0-80°C, P=6bar, Pt, Body=Glass, D/J, PG 13.5mm, S8	9900105033	\$403,68



### Потенциостатические датчики

Модель	Описание	Артикул	
FCL1 Free Inorganic Chlorine probe	FCL1 Free Inorganic Chlorine probe: Range 0÷10 ppm, Tmax=45°C, 1 Bar, pH 6÷8, Body=PVC, Silver, 4-20 mA, cable not.incl.	9900101140	\$2 562,35
FCL2 Free Organic Chlorine probe	FCL2 Free Organic Chlorine probe: Range 0-10 ppm, Tmax=45°C, 0.5 Bar, pH 4÷12, Body=PVC, Silver, 4-20 mA, cable not.incl.	9900101141	\$2 744,64
FCL3 Free Inorganic Chlorine probe	FCL3 Free Inorganic Chlorine probe: Range 0÷10 ppm, Tmax=45°C, 3 Bar, pH 4÷9, Body=PVC, Silver, 4-20 mA, cable not.incl.	9900101142	\$2 744,64
FCL4 Free Inorganic Chlorine probe	FCL4 Free Inorganic Chlorine probe: Range 0÷200 ppm, Tmax=45°C, 1 Bar, pH 6÷8, Body=PVC, Silver, 4-20 mA, cable not.incl.	9900101146	\$2 744,64
FCL5 Free Inorganic Chlorine probe	FCL5 Free Inorganic Chlorine probe: Range 0÷2 ppm, Tmax=45°C, 1 Bar, pH 6÷8, Body=PVC, Silver, 4-20 mA, cable not.incl.	9900101194	\$2 744,64
FCL10 Free Inorganic Chlorine probe	FCL10 Free Inorganic Chlorine probe: Range 0÷0.5 ppm, Tmax=45°C, 1 Bar, pH 6÷8, Body=PVC, Silver, 4-20 mA, cable not.incl.	9900101159	\$3 539,21
FCL11 Free Inorganic Chlorine probe	FCL11 Free Inorganic Chlorine probe: Range 0÷5 ppm, Tmax=45°C, 1 Bar, pH 6÷8, Body=PVC, Silver, 4-20 mA, cable not.incl.	9900101193	\$3 839,67
H2O2-2 : Hydrogen Peroxide Probe	H2O2-2 : Hydrogen Peroxide Probe: 0÷500 ppm; T=45°C; P=0-1 Bar; 2÷11 pH; Material in PVC-U; 4-20mA	9900101156	\$4 026,11
PAA-1: Peracetic Acid Probe	PAA-1: Peracetic Acid Probe: 0÷2.000 ppm; T=45°C; P=0-1 Bar; 1÷6 pH; Material in PVC-U; 4-20mA	9900101157	\$3 839,67
TCL-1 Total Inorganic or Organic Chlorine probe	TCL-1 Total Inorg. or Organ. Chlor.probe: Range 0÷10 ppm, Tmax=45°C, 0.5 Bar, pH 4÷12, Body=PVC-U, Silver, 4-20 mA, cable not.incl.	9900101143	\$2 744,64
DCL-1 Chlorine Dioxide probe	DCL-1 Chlorine Dioxide probe: Range 0÷10 ppm, Tmax=45°C, 1 Bar, pH 1÷11, Body=PVC-U, Gold, 4-20 mA, cable not.incl.	9900101144	\$2 562,35
BR-1 : Bromine Probe	BR-1 : Bromine Probe: 0,05÷10 ppm; 6,5÷9,5 pH; 0,5 Bar; 45°C; Material in PVC; 4-20mA	9900101179	\$4 026,11



### Температурные датчики

Модель	Описание	Артикул	
PT100 Temperature Probe	PT100 Temperature Probe: T=0-100°C; P=0-7 bar; 3-wire cable, 5m length, 12mm	9900105061	\$244,98
PT100 Temperature Probe	PT100 Temperature Probe: T=0-100°C; P=0-7 bar; 3-wire cable, 5m length, PG13.5	9900105062	\$343,59
PT100 Temperature Probe	PT100 Temperature Probe: T=0-100°C; P=0-7 bar; 2-wire cable, 3m length, 1/2" GAS M	9900101113	\$129,42
PT100 Temperature Probe	PT100 Temperature Probe: T=0-100°C; P=0-7 bar; 2-wire cable, 3m length, 3/4" GAS M	9900101178	\$129,42



### Датчики мутности

Модель	Описание	Артикул	
S461 LT Turbidity probe	S461 LT Turbidity probe: Range 0÷10 NTU, Tmax=50°C, 4 bar, Body=Black PVC, 45°OPT, 10m Cable, Mounting: 1"GAS (Ø42mm), 4-20mA, 12-24Vdc	9900316037	\$5 174,00



### Датчики потока лопастного типа

Модель	Описание	Артикул	
SFW-1-FPM	SFW-1-FPM Paddle wheel Flow Sensor 5÷24VDC, IP65, Body PVC-C (Cable not incl.)	9900317012	\$1 132,48
SFW-2-FPM	SFW-2-FPM Paddle wheel Flow Sensor 5÷24VDC, IP65, Body PVC-C (Cable not incl.)	9900317014	\$1 187,95

