

Product data sheet

Specifications

remote cable, Altivar, Lexium, 5m,
for graphic display terminal



VW3A1104R50

Main

Range of product	Altivar
Accessory / separate part category	Connection accessories
Accessory / separate part type	Remote cable
Product or component type	Connecting cable
Product compatibility	VW3M1701 VW3A1101
Accessory / separate part destination	Remote graphic display terminal
Range compatibility	Altivar Machine ATV320 Altivar 312 Altivar Machine ATV340 Altivar 61Q Altivar 61 Altivar 71 Altivar Process ATV600 Altivar 312 Solar Lexium 32 Altivar Process ATV900 Altivar 32 Altivar 212 Altivar 71Q Easy Altivar 610
Cable length	5 m

Complementary

Electrical connection	2 male connectors
Connector type	RJ45
Product weight	0.25 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	17.000 cm
Package 1 Length	20.000 cm
Package 1 Weight	219.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	25
Package 2 Height	30.000 cm

Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	6.059 kg
Unit Type of Package 3	P06
Number of Units in Package 3	200
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	59.204 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
-----------	----