

Product data sheet

Specifications



communication module Ethernet Powerlink, Altivar, 10/100Mbps, 2 x RJ45 connectors

VW3A3619

Main

Range of product	Altivar
Product or component type	Communication module

Complementary

Product compatibility	Variable speed drive
Range compatibility	Altivar Machine ATV320 Altivar 32 Altivar Process ATV600 Altivar Process ATV900 Altivar Machine ATV340
Communication port protocol	Ethernet Powerlink
Electrical connection	2 connectors RJ45, Ethernet
Transmission rate	10/100 Mbps
Display type	1 LED for MS (Module Status) 1 LED for NS (Network Status) 1 LED for TX/RX (Transmit/Receive port 1) 1 LED for TX/RX (Transmit/Receive port 2)
Product weight	0.3 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.700 cm
Package 1 Width	6.200 cm
Package 1 Length	9.000 cm
Package 1 Weight	61.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	100
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	6.660 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	54d8e031-65a3-4857-bab7-e160fac93d77
EU RoHS Directive	Compliant
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
-----------	----

Image of product / Alternate images

Alternative





