



Ассортимент панелей RYTERNA

www.ryterna.ua





ТИПЫ И ФАКТУРЫ ПАНЕЛЕЙ

RIB stucco (тип панели - полоса/под штукатурку)										
	500 mm	610 mm								
	RAL 9016	RAL 8017	RAL 6005	RAL 6009	RAL 5010	RAL 9006	RAL 9002	RAL 7016	RAL 3000	
	32000	32002	32009	32010	32008	32004	32006	32011	32020	
	32001	32003	32029	32032	32019	32005	32007	32018	32026	

RIB woodgrain (тип панели - полоса/под дерево)										
	500 mm	610 mm								
	RAL 9016	RAL 8017	RAL 9005	RAL 1015	Golden Oak	Old Oak	Dark Oak	Mahogany	Golden Oak PAINTED	Brown Walnut PAINTED
	33000	33002	33004	33053	34000	34004	34005	34006	34024	34026
	33001	33003	33005	33054	34001	34008	34009	34007	34025	34027


FLUSH woodgrain / stucco (тип панели - гладкая)				MIDRIB woodgrain/smooth (тип панели - широкая полоса)					
	500 mm	RAL 9016	RAL 9016		500 mm	RAL 9016	Golden Oak	Old Oak	Light Oak
	610 mm	stucco	woodgrain		610 mm	woodgrain	smooth	smooth	smooth
		32014	33006			33030	34010	34012	34020
		32015	33007			33035 TOP	34015 TOP	34017 TOP	34023 TOP
					33031 BOTTOM	34011 BOTTOM	34013 BOTTOM	34021 BOTTOM	

ТИПЫ И ФАКТУРЫ ПАНЕЛЕЙ




РАЗМЕРЫ ПАНЕЛЕЙ


	L(m)	RAL 9016	Golden Oak
500 mm	2,45	35000	36000
610 mm	2,45	35001	36001




	L(m)	RAL 9016	Golden Oak
500 mm	2,85	35002	36002
610 mm	2,85	35003	36003




	L(m)	RAL 9016	Golden Oak
500 mm	3,05	35004	36004
610 mm	3,05	35005	36005




	L(m)	RAL 9016	Golden Oak
500 mm	3,65	35006	36006
610 mm	3,65	35007	36007




	L(m)	RAL 9016	Golden Oak
500 mm	4,25	35008	36008
610 mm	4,25	35009	36009




	L(m)	RAL 9016	Golden Oak
500 mm	4,85	35010	36010
610 mm	4,85	35011	36011





	L(m)	RAL 9016	Golden Oak
500 mm	5,47	35012	36012
610 mm	5,47	35013	36013




	L(m)	RAL 9016	Golden Oak
500 mm	6,05	35014	36014
610 mm	6,05	35015	36015



ПАНЕЛИ В РАЗРЕЗЕ



Тип панели	S (mm)	K		Λ	Вес панели		Погрешность		
		Kcal m ² hK	Watt m ² K		Kg/m	Kg/m ²	Толщина	Вес	Длина
R-500	40	0,43	0,50	0,017	5,6	11,2	+/- 2	+/- 1	+/- 5
R-610					6,8	11,2			





Київ 2015